

MATERIAL SAFETY DATA SHEET

International Epoxies & Sealers
P.O. Box 185, San Antonio, FL 33576
EMERGENCY PHONE: Infotrac: 1-800-535-5053
Outside the U.S. Call Collect: 1-352-323-3500

Telephone: (800) 451-7206

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Number: 622
Product Name: Quick-Weld #2 Cyanoacrylate Adhesive
Product Type: Cyanoacrylate Adhesive

2. COMPOSITION, INFORMATION ON INGREDIENTS

Ingredients	CAS NO.	%
Ethyl Cyanoacrylate ester	Proprietary	90-95
HYDROQUINONE	123-31-9	0.1-1

Ingredients, which have exposure limits

Exposure Limits: Ingredients	(TWA) ACGIH (TLV)	OSHA (PEL)	OTHER
Ethyl Cyanoacrylate	None	None	0.2 ppm TWA
HYDROQUINONE	2mg/m ³ TWA	2 mg/m ³ TWA	2 mg/m ³ TWA 4 mg/m ³ STEL

3. HAZARDS IDENTIFICATION

Toxicity: Skin contact may cause burns, Bonds skin rapidly and strongly
Skin and eye irritant

Primary Routes of Entry: None Known

Signs and Symptoms

Of Exposure: Vapor is irritating to eyes and mucous membranes above TLV.
Exposure to vapors above the established limits may cause
Symptoms of non-allergic asthma.

Existing Conditions

Aggravated by Exposure: None Known

Ingredients	Literature Referenced Target organ and other Health Effects	Carcinogen		
		NTP	IARC	OSHA
Cyanoacrylate ester	ALG IRR	NO	NO	NO
Poly (methyl methacrylate)	IRR	NO	N/A	NO
Cyanoacetate	NTO	NO	NO	NO

3. Hazards identification

HYDROQUINONE BLO BNM CNS IMM IRR LIV MUT NO N/A NO
SKI THY

Abbreviations

N/A Not Applicable	ALG Allergen
BLO Blood	BNM Bone Marrow
CNS Central nervous system	EYE eyes
IMM Immune System	IRR Irritant
LIV Liver	MUT Mutagen
NTO No Target Organs	SKI Skin
THY Thyroid	

4. First Aid Measures

Ingestion: Ingestion is not likely. See supplemental page for emergency Procedures.

Inhalation: Remove to fresh air. If symptoms persist, obtain medical attention.

Skin Contact: Soak in warm water. See supplemental page for emergency Procedures.

Eye Contact: Flush with water. See supplemental page for emergency procedures.

5. Flammability and Explosive Properties

Flash Point:	160 -200° F	Method: Tag Closed Cup
Estimated NFPA Code:		
Health Hazard:	2	
Fire Hazard:	2	
Reactivity Hazard:	2	
Specific Hazard:	No Water	
Estimated HMIS Code:		
Health Hazard:	2	
Flammability Hazard:	2	
Reactivity Hazard:	2	
Personal Protection:	See Section 8	
Recommended		
Extinguishing Agents:	Carbon dioxide, foam, dry chemical	
Special Firefighting		
Procedures:	Not Available	
Hazardous Products Formed		
By fire or thermal, decomp	Irritating Organic vapors	
Unusual fire or explosion Hazards	None	
Explosive Limits:		
(% by volume in air) Lower	Not Available	
(% by volume in air) Upper	Not Available	

6. Accidental Release Measures

Steps to be taken in case Of spill or leak: Flood with water to polymerize. Soak up with an inert Absorbent

7. Handling Controls, Personal Protection

Safe Storage: Store below 75° F

Heading: Avoid skin or eye contact. Avoid breathing vapor.

8. EXPOSURE CONTROLS, PERSONAL PROTECTION

Eyes: Safety glasses or goggles

Skin: Nitrile or polyethylene gloves and aprons

Do not use cotton

Ventilation: Local ventilation may be desirable when using large amounts in a confined area.

Respiratory Not Available

See section 2 for Exposure Limits

9. Physical and Chemical Properties

Appearance: Clear Or Black colored liquid

Odor: Negligible

Boiling Point: More than 300° F

Ph: Does not apply

Solubility in Water: Polymerized by water

Specific Gravity: 1.1

10. Stability and Reactivity

Stability: Stable

Hazardous

Polymerization: Will not occur

Incompatibility: Polymerized by contacts water, alcohols, amines or alkalis

Conditions to avoid: Not Available

Hazardous

Decomposition

Products (non-thermal): None

11. Toxicological Information:

Estimated oral LD50 more than 5000 mg/kg

Estimated dermal LD50 more than 2000 mg/kg

12. Ecological Information

No Data Available

13. Disposal Considerations

Personal Protection:

See Section 8

NFPA is a registered trademark of the National Fire Protection Assn.

HMIS is a registered trademark of the National Paint and Coatings Assn.

DISCLAIMER:

The information contained within this MSDS applies only to the I.E.S product to which the sheet relates. The information provided is based on our best knowledge at the time of issue.

The information contained within this MSDS is believed to be accurate and is given in good faith. However, no warranty is made, either express or implied, regarding its accuracy or any liability arising out of the use of the information herein or the product supplied.

When used in other preparations, formulations, or in mixtures, it is necessary to ascertain whether the classifications of the hazards have changed. The attention of the user is drawn to the possibility of creating other hazards when the product is used for purpose other than that for which it was recommended. In such cases, a reassessment may be necessary and should be made by the user.

This safety data sheet should only be used and reproduced in order that the necessary measures are taken relating to the protection of health and safety at work.

It is the responsibility of the handlers to pass on the totality of the information contained within this document to any subsequent person(s) who will come in to contact with, handle or use this product in any way.

They should check the adequacy of the information provided within this MSDS before passing it on to their customers/staff.