

Date of Preparation: 10/01/03

SECTION 4. - FIRST AID MEASURES

EYE:

Immediately flush eyes with water for at least 20 minutes. Get immediate medical attention.

SKIN:

Wash thoroughly with soap and water. Discard contaminated clothing. Do not use organic solvents. If irritation occurs, get medical attention.

INHALATION:

Remove person to fresh air or apply artificial respiration if not breathing. Get medical attention if short of breath or if respiratory symptoms develop.

INGESTION:

Give 1-2 glasses of milk or water to conscious person. Get immediate medical attention. **DO NOT INDUCE VOMITING.**

SECTION 5. - FIRE FIGHTING MEASURES

Flashpoint and Method: 51F (TCC)

Autoignition Temperature: NA

Flammable Limits: 2.1 MMA, Upper 12.5 for MMA

EXTINGUISHING MEDIA: Flammable liquid, insoluble in water. Use DRY chemical powder

SPECIAL FIRE FIGHTING INSTRUCTIONS:

Fire fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear.

HAZARDOUS COMBUSTION PRODUCTS:

Oxides of carbon and nitrogen. Hydrogen cyanide. Methylene bisphenyl isocyanate. Hydrocarbons. Smoke. Cyclopentanone. Butanediol. Tetrahydrofuran.

SECTION 6. - ACCIDENTAL RELEASE MEASURES

Remove sources of ignition. Use with ventilation. Dike area to prevent spreading. Absorb on vermiculite, sand or other inert absorbing material. Dispose of as chemical waste in accordance with current local, state, and federal regulations. Do not discharge into water. Incineration recommended. Wash spill area with strong detergent. After proper mixing of resin and activator sides, the material will polymerize into a cured solid state which can be treated as a nonhazardous solid. Applicable CERCLA/RCRA waste code:0001(ignitability) U162 (MMA)

SECTION 7. - HANDLING AND STORAGE

HANDLING:

Avoid prolonged or repeated breathing of vapor. Avoid contact with skin and eyes. Wash hands before smoking or eating.

STORAGE:

Avoid storage over 100F, contamination with incompatible materials. Store in cool place. Do not store in direct sunlight.

Recommended storage in flammable material containment area

SECTION 8. - EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:

Use local exhaust ventilation if the potential for airborne exposure exists

PERSONAL PROTECTION:

RESPIRATORY PROTECTION:

Use NIOSH approved respirator if there is potential to exceed any exposure limit(s).

SKIN PROTECTION:

Use chemical resistant, impermeable clothing including gloves and either an apron or body suit to prevent skin contact.

MATERIAL SAFETY DATA SHEET

8560

Date of Preparation: 10/01/03

SECTION 14. - TRANSPORT INFORMATION DOT (49 CFR 172)

PROPER SHIPPING NAME: Adhesives

IDENTIFICATION NUMBER: Un1133 **HAZARD CLASS:** 3 **PACKING GROUP II**

EXCEPTIONS: Single unit less than or equal to 1 liter **PROPER SHIPPING NAME:** Consumer Commodity

CLASS / DIVISION:ORM-D

INTERNATIONAL AIR TRANSPORTATION (IATA) **PROPER SHIPPING NAME:**Adhesives

IDENTIFICATION NUMBER: UN1133 **PACKING GROUP:** II **CLASS/DIVISION:** 3

EXCEPTIONS: Consumer Commodity, Class 9, ID 8000, less than 500ml.

SECTION 15. - REGULATORY INFORMATION

TSCA (Toxic Substance Control Act):

All components are listed on or exempt from listing on the Toxic Substances Control Act Inventory,

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act): NA

SARA TITLE III (Superfund Amendments and Reauthorization Act):

313 Reportable Ingredients: Methyl Methacrylate

CANADIAN INVENTORY STATUS:

All components are listed on or are exempt from listing on the Canadian Domestic Substances List

CALIFORNIA PROPOSITION 65:

This product contains chemicals known to the state of California to cause cancer, birth defects, or other reproductive harm

SECTION 16. - OTHER INFORMATION

NFPA

Health 2 Fire 3 Reactivity 2 Special None

Hazardous Materials Information System (HMIS) Ratings:

Health 2 Flammability 3 Reactivity 2 Protective Equipment: see section 8

REVISION SUMMARY: Change to 16-section format.

PREPARED BY: Steve Busch

This information is furnished without warranty, representation, or license of any kind, except that this information is accurate to the best of the Supplier's knowledge, or is obtained from sources believed by the Supplier to be accurate. No warranty is expressed or implied regarding the accuracy of this information or the results to be obtained from its use thereof, The Supplier assumes no responsibility for injuries proximately caused by use of the Material if reasonable safety procedures are not followed as stipulated in this Data Sheet. Additionally, the Supplier assumes no responsibility for injuries proximately caused by abnormal use of the Material even if reasonable safety procedures are followed. Buyer assumes the risk in its use of the Material.

..... **Date of Preparation:** 10/01/03
CONDITIONS AGGRAVATED BY EXPOSURE: Respiratory disorders. Skin disorders. Eye disorders

SECTION 4. - FIRST AID MEASURES

EYE:
Immediately flush eyes with water for at least 20 minutes. Get immediate medical attention.
SKIN:
Wash thoroughly with soap and water. Discard contaminated clothing. Do not use organic solvents. If irritation occurs, get medical attention.
INHALATION:
Remove person to fresh air or apply artificial respiration if not breathing. Get medical attention if short of breath or if respiratory symptoms develop.
INGESTION:
Give 1-2 glasses of milk or water to conscious person. Get immediate medical attention. **DO NOT INDUCE VOMITING.**

SECTION 5. - FIRE FIGHTING MEASURES

Flashpoint and Method: 51F (TCC)
Autoignition Temperature: NA **Flammable Limits:** 2.1 MMA, Upper 12.5 for MMA
EXTINGUISHING MEDIA: Flammable liquid, insoluble in water. Use DRY chemical powder

SPECIAL FIRE FIGHTING INSTRUCTIONS:
Fire fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear.
HAZARDOUS COMBUSTION PRODUCTS:
Oxides of carbon and nitrogen. Hydrogen cyanide. Methylene bisphenyl isocyanate. Hydrocarbons. Smoke. Cyclopentanone. Butanediol. Tetrahydrofuran.

SECTION 6. - ACCIDENTAL RELEASE MEASURES

Remove sources of ignition. Use with ventilation. Dike area to prevent spreading. Absorb on vermiculite, sand or other inert absorbing material. Dispose of as chemical waste in accordance with current local, state, and federal regulations. Do not discharge into water. Incineration recommended. Wash spill area with strong detergent. After proper mixing of resin and activator sides, the material will polymerize into a cured solid state which can be treated as a nonhazardous solid. Applicable CERCLA/RCRA waste code:0001(ignitability) U162 (MMA)

SECTION 7. - HANDLING AND STORAGE

HANDLING:
Avoid prolonged or repeated breathing of vapor. Avoid contact with skin and eyes. Wash hands before smoking or eating.

STORAGE:
Avoid storage over 100F, contamination with incompatible materials. Store in cool place. Do not store in direct sunlight.
Recommended storage in flammable material containment area

SECTION 8. - EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:
Use local exhaust ventilation if the potential for airborne exposure exists

PERSONAL PROTECTION:
RESPIRATORY PROTECTION:
Use NIOSH approved respirator if there is potential to exceed any exposure limit(s).

SKIN PROTECTION: Use chemical resistant, impermeable clothing including gloves and either an apron or body suit to prevent skin contact.

MATERIAL SAFETY DATA SHEET

8560

Date of Preparation: 10/01/03

SECTION 14. - TRANSPORT INFORMATION DOT (49 CFR 172)

PROPER SHIPPING NAME: Adhesives

IDENTIFICATION NUMBER: Un1133 **HAZARD CLASS:** 3 **PACKING GROUP II**

EXCEPTIONS: Single unit less than or equal to 1 liter **PROPER SHIPPING NAME:** Consumer Commodity

CLASS / DIVISION:ORM-D

INTERNATIONAL AIR TRANSPORTATION (IATA) **PROPER SHIPPING NAME:**Adhesives

IDENTIFICATION NUMBER: UN1133 **PACKING GROUP:** II **CLASS/DIVISION:** 3

EXCEPTIONS: Consumer Commodity, Class 9, ID 8000, less than 500ml.

SECTION 15. - REGULATORY INFORMATION

TSCA (Toxic Substance Control Act):

All components are listed on or exempt from listing on the Toxic Substances Control Act Inventory,

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act): NA

SARA TITLE III (Superfund Amendments and Reauthorization Act):

313 Reportable Ingredients: Methyl Methacrylate Cumene hydroperoxide

CANADIAN INVENTORY STATUS:

All components are listed on or are exempt from listing on the Canadian Domestic Substances List

CALIFORNIA PROPOSITION 65:

This product contains chemicals known to the state of California to cause cancer, birth defects, or other reproductive harm

SECTION 16. - OTHER INFORMATION

NFPA

Health 2 Fire 3 Reactivity 2 Special None

Hazardous Materials Information System (HMIS) Ratings:

Health 2 Flammability 3 Reactivity 2 Protective Equipment: see section 8

REVISION SUMMARY: Change to 16-section format.

PREPARED BY: Steve Busch

This information is furnished without warranty, representation, or license of any kind, except that this information is accurate to the best of the Supplier's knowledge, or is obtained from sources believed by the Supplier to be accurate. No warranty is expressed or implied regarding the accuracy of this information or the results to be obtained from its use thereof, The Supplier assumes no responsibility for injuries proximately caused by use of the Material if reasonable safety procedures are not followed as stipulated in this Data Sheet. Additionally, the Supplier assumes no responsibility for injuries proximately caused by abnormal use of the Material even if reasonable safety procedures are followed. Buyer assumes the risk in its use of the Material.